



D19SL VER1.0



Model No.	D19SL VER:1.0
Processor	Integrated Intel® Celeron®J1900 2.0GHz quad core processor,TDP10W
Chipset	Intel® Bay trail SOC
Memory	1* SODIMM memory slot, support single channel 1600/1333MHz DDR3L/1.35V memory, up to 8GB
Display	Integrated Intel® HD Graphics, provide 1*VGA display output
Network	6* Intel WGI211AT Gigabit Ethernet, support Wake On LAN、 PXE
Storage	1* SATA2.0 2.5 inch laptop HDD slot, can install HDD directly
	1* MSATA slot, support Intel protocol SSD, transmission rate up to 3Gbps
Expansion Slot	2* Mini-PCIE slot, support WIFI、 3G/4G module. MINIPE2 support WIFI, MINIPE1 support 3G/4G
Rear I/O	1* CISCO standard RS232 COM port
	2* USB 2.0
	6* RJ-45 Gigabit LAN port
	1* Power switch, 1* Reset switch
	1* Power LED (green) / HDD LED (red)
Internal I/O	1* JVGA 1*12pin
	1* LAN LED 2*13pin
	2* USB2.0, 2*5pin
	2* Standard USB2.0
	1*RS232 COM port 2*5pin
	1* Front panel function button and LED indicator port 2*5pin
	1* PS/2 KB/MS port 1*6pin
	1* SIM socket
	1* 12V DC_In Jack
	1* 4pinATX power input port, support 12V power input output
	1* 2pin blue power socket, support 12V power input output
Fan Connector	1* 4pin CPU smart fan connector, 1* 3pin system fan connector
GPIO	Support 4 way input output GPIO
BIOS	64Mb Flash ROM
Watch dog	Support hardware reset function (L256, 0~255 seconds)
Power Type	Adopt DC 12V power supply

Working Temp.	-10°C ~ 60°C
Storage Temp.	-20°C ~ 70°C
Working Humidity	5%-95% relative humidity, non-condensing
Dimension	200mm x 180mm

Order Information:

No.	Model	Processor	Frequency	Memory	VGA	LVDS	LAN	USB	COM	BYPASS	Power
1	D19SL VER:1.0	J1900	2.0GHz	1*SODDR3L	1	X	6*WGI211AT	6	2	X	DC12V
2	D19SL_B VER:1.0	J1900	2.0GHz	1*SODDR3L	1	X	6*WGI211AT	6	2	2	DC12V