


EPIC-E75_I522L VER:1.0

(6300U)



Model No.	EPIC-E75_I522L VER:1.0(6300U)
Processor	Integrated Intel® I5-6300U 2.4GHz Dual core Quad thread processor, TDP15W
	Compatible with Intel® Skylake-U Celeron/PentiumI3/I5/I7 28W low power consumption processors
Chipset	SOC
Memory	1*SODIMM memory slot, supportsDDR4 2133MHz memory,is up to 32GB
Display	Integrated Intel® HD Graphics 520, supports DirectX 12 OpenGL 4.5, supports 4K
	1*VGA,1* HDMI, 1*LVDS, supports dual channels 24Bit or EDP
	Note: LVDS and EDP, only choose one
Ethernet	2* RTL8111H Gigabit Ethernet,supports Wake on LAN/PXE function
Storage	1* 7pin SATA3.0, the transfer rate is up to 6Gbps
	1* MSATA slot, supports Intel protocol SSD, the transfer rate is up to 6Gbps
Audio	Onboard ALC888S 7.1+2 channel high fidelity audio controller, supporting line-out, power amplifier
	Support power amplifier 4Ω/3W dual channels
Expansion Slot	1* Mini-PCIE slot,supports WIFI/4G module
Rear I/O interface	1* DC_Jack 12V
	1* HDMI
	1* VGA
	2* USB3.0
	1* USB2.0
	2* RJ45 Gigabit Network Interface
	1* Line-out (Green)
Built in I/O interface	1* 4pin DC power interface, supports 12V power input output
	1* JVGA, 1*12pin (Same signal as DB15)
	1* LVDS, 2*15pin, supports Dual channel 24BIT,
	1* EDP, 2*15pin, choose either LVDS or EDP interface, default is LVDS
	1* Backlight power supply interface, 1*6pin
	2* RS232 COM, COM1 supports the 9 th pin charged, COM2 supports RS485 function
	4* USB2.0, 2*5pin
	1* Front audio interface, 2*5pin
	1* Power amplifier interface, 1*4pin
	1* Hard disk power supply interface, 1*4pin

	1*Front panel function button and indicator light interface, 2*5pin
Fan Connector	1*4pin CPU smart fan connector, 1*3pin system fan connector
GPIO	Support 4-way input output GPIO function
BIOS	64Mb Flash ROM
Watchdog	Support hardware reset function (L256, 0~255 seconds)
OS	Windows7/Windows 10/Linux
Power Type	DC 12V
Working temperature	-10℃～60℃
Storage temperature	-20℃～70℃
Working Humidity	5%-95% (relative humidity, non-condensing)
Dimension	148mm x 102mm

Order Information:

No	Model	Processor	Frequency	Memory	VGA	HDMI	LVDS	EDP	LAN	USB	COM	RS485/422	Power
1	EPIC-E75_I522L VER:1.0(6300U)	I5-6300U	2.4G	1* SODDDR4	1	1	2ch*24bit	/	2*211AT	7	2	COM2	DC12V